

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 06/18/2018

Page 1/9

1 Identification

- · Product Identifier
- · Trade Name: ELECTRON
- · Product Number: ecolink-electro
- · Relevant identified uses of the substance or mixture and uses advised against:
- Product Description: PC35 Washing and cleaning products (including solvent based products)
- · Application of the substance / the mixture: Paraffin and Asphaltene Remover
- · Details of the Supplier of the Safety Data Sheet:
- · Manufacturer/Supplier: Ecolink 2177A Flintstone Drive Tucker, GA 30084 www.ecolink.com email: info@ecolink.com 800-886-8240 or 770-621-8240 (8-5 EST) · Emergency telephone number: PERS Emergency response: 1-801-629-0667

2 Hazard(s) Identification

· Classification of the substance or mixture:



GHS08 Health hazard

Asp. Tox. 1 H304 May be fatal if swallowed and enters airways.



Skin Irrit. 2 H315 Causes skin irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

Flam. Liq. 4 H227 Combustible liquid.

- · Label elements:
- · GHS label elements
- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



- Signal word: Danger
- Hazard-determining components of labeling:
- Distillates (petroleum), hydrotreated light
- · Hazard statements:
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.

· Precautionary statements:

P210 Keep away from flames and hot surfaces. - No smoking.



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Trade Name: ELECTRON

- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P331 Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a poison center/doctor if you feel unwell.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.
- Unknown acute toxicity:
- 15 % of the mixture consists of component(s) of unknown toxicity.
- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- NFPA ratings (scale 0 4)



· HMIS-ratings (scale 0 - 4)

HEALTH1Health = 1FIRE2Fire = 2REACTIVITY0Physical Hazard = 0

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/Information on Ingredients

- · Chemical characterization: Mixtures
- · Description: Mixture of substances listed below with non-hazardous additions.

· Dangerous Components:		
64742-47-8	Distillates (petroleum), hydrotreated light	≥85%
	Asp. Tox. 1, H304; Aquatic Chronic 2, H411; Skin Irrit. 2, H315; STOT SE 3, H336; Flam. Liq. 4, H227	
68647-72-3	Citrus Terpene	15-35%
	🚸 Flam. Liq. 3, H226	
A First Aid Manager		

4 First-Aid Measures

· Description of first aid measures

• After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact: Rinse opened eye for several minutes under running water.

Reviewed on 06/18/2018



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Trade Name: ELECTRON

- · After swallowing: If swallowed and symptoms occur, consult a doctor.
- · Information for doctor
- · Most important symptoms and effects, both acute and delayed: No further relevant information available.
- · Indication of any immediate medical attention and special treatment needed:
- No further relevant information available.

5 Fire-Fighting Measures

- · Extinguishing media
- · Suitable extinguishing agents: CO2, sand, extinguishing powder. Do not use water.
- · For safety reasons unsuitable extinguishing agents: Water
- · Special hazards arising from the substance or mixture: No further relevant information available.
- Advice for firefighters
- · Special protective equipment for firefighters: No special measures required.

6 Accidental Release Measures

- · Personal precautions, protective equipment and emergency procedures: Not required.
- Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system. Do not allow to enter sewers/surface or ground water.
- Methods and material for containment and cleaning up: Absorb with liquid-binding material (i.e. sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to section 13. Ensure adequate ventilation. Do not flush with water or aqueous cleansing agents
 Reference to other sections:

See Section 7 for information on safe handling. See Section 8 for information on personal protection equipment. See Section 13 for disposal information.

7 Handling and Storage

- · Handling
- Precautions for safe handling:

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols.

- · Information about protection against explosions and fires: Protect from heat.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and receptacles: Store in the original container.
- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from heat and direct sunlight.
- · Specific end use(s): No further relevant information available.

8 Exposure Controls/Personal Protection

• Additional information about design of technical systems: No further data; see section 7.

- · Control parameters:
- · Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

• Additional information: The lists that were valid during the creation of this SDS were used as basis.

Reviewed on 06/18/2018



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Reviewed on 06/18/2018

Trade Name: ELECTRON

- · Exposure controls:
- · Personal protective equipment
- · General protective and hygienic measures:
- Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• Material of gloves:

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material:

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• Eye protection:



Goggles recommended during refilling.

9 Physical and Chemical Properties

- · Information on basic physical and chemical properties
- · General Information
- Appearance: Form: Color:
 Odour:
 Odor threshold:
 pH-value @ 20 °C (68 °F):

Citrus Not determined. N/A

Colorless

Liquid

- Change in condition Melting point/Melting range: Boiling point/Boiling range:
 Flash point:
 Not determined. 213 °C (415.4 °F)
 64 °C (147.2 °F)
- Flammability (solid, gaseous): Not applicable.
- · Ignition temperature: 210 ℃ (410 °F)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Reviewed on 06/18/2018

· Decomposition temperature:	Not determined.	
· Auto igniting:	Product is not self-igniting.	
• Danger of explosion:	Not determined.	
 Explosion limits: Lower: Upper: 	0.5 Vol % 6.5 Vol %	
· Vapor pressure @ 20 °C (68 °F):	2 hPa (1.5 mm Hg)	
· Density @ 20 °C (68 °F): · Relative density: · Vapor density: · Evaporation rate:	0.811 g/cm ³ (6.7678 lbs/gal) Not determined. Not determined. Not determined.	
 Solubility in / Miscibility with: Water: 	Not miscible or difficult to mix.	
· Partition coefficient (n-octanol/water): Not determined.		
· Viscosity: Dynamic @ 20 ℃ (68 ℉): Kinematic:	1 mPas Not determined.	
 Solvent content: Organic solvents: Other information: 	0.0 % No further relevant information available.	
10 Stability and Reactivity		

10 Stability and Reactivity

- · Reactivity: No further relevant information available.
- · Chemical stability: Stable under normal conditions.
- Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions: No dangerous reactions known.
- · Conditions to avoid: No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological Information

- · Information on toxicological effects:
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

64742-47-8 Distillates (petroleum), hydrotreated light

Oral LD50 >5000 mg/kg (Rat)

Dermal LD50 >2000 mg/kg (Rabbit)

- · Primary irritant effect:
- · On the skin: No irritating effect.
- · On the eye: No irritating effect.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

lssue date 06/18/2018

Reviewed on 06/18/2018

Page 6/9

Trade Name: ELECTRON

Irritant

- · Carcinogenic categories:
- · IARC (International Agency for Research on Cancer):

None of the ingredients are listed.

· NTP (National Toxicology Program):

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration):

None of the ingredients are listed.

12 Ecological Information

- · Toxicity:
- · Aquatic toxicity: No further relevant information available.
- Persistence and degradability: No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential: No further relevant information available.
- · Mobility in soil: No further relevant information available.
- · Ecotoxical effects:
- · Remark: Toxic for fish
- · Additional ecological information:
- · General notes:
- Water hazard class 3 (Self-assessment): extremely hazardous for water

Do not allow product to reach ground water, water course or sewage system, even in small quantities.

Danger to drinking water if even extremely small quantities leak into the ground.

Poisonous for fish and plankton in water bodies.

Toxic for aquatic organisms

- Results of PBT and vPvB assessment:
- **PBT:** Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects: No further relevant information available.

13 Disposal Considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packaging
- *Recommendation:* Disposal must be made according to official regulations.

14 Transport Information

- · UN-Number:
- · DOT, ADR/ADN, ADN, IATA · IMDG
- · UN proper shipping name:
- · DOT, ADR/ADN, ADN, IMDG, IATA
- Transport hazard class(es):
- · DOT, ADR/ADN, ADN, IMDG, IATA
- · Class:

Non-Regulated Material Non-Regulated Material Not Regulated Not Regulated for Transportation Non-Regulated Material

Non-Regulated Material



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Reviewed on 06/18/2018

- · Packing group:
- · DOT, ADR/ADN, IMDG, IATA
- · Environmental hazards:

Non-Regulated Material Product contains environmentally hazardous substances: Citrus Terpene, Distillates (petroleum), hydrotreated light Not applicable.

- Special precautions for user:
- Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:
- · UN "Model Regulation":

Not applicable. Non-Regulated Material

15 Regulatory Information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture:
- · SARA (Superfund Amendments and Reauthorization):
- Section 355 (extremely hazardous substances):

None of the ingredients are listed.

- · Section 313 (Specific toxic chemical listings):
- None of the ingredients are listed.
- TSCA (Toxic Substances Control Act):
 - All ingredients are listed or exempt from listing.
- · California Proposition 65:
- · Chemicals known to cause cancer:
- None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for females:
- None of the ingredients are listed.
- · Chemicals known to cause reproductive toxicity for males:
- None of the ingredients are listed.
- · Chemicals known to cause developmental toxicity:
- None of the ingredients are listed.
- · Carcinogenic categories:
- · EPA (Environmental Protection Agency):
- None of the ingredients are listed.
- TLV (Threshold Limit Value established by ACGIH):
- None of the ingredients are listed.
- *NIOSH-Ca (National Institute for Occupational Safety and Health):* None of the ingredients are listed.

· GHS label elements

- The product is classified and labeled according to the Globally Harmonized System (GHS).
- · Hazard pictograms:



· Signal word: Danger



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Reviewed on 06/18/2018

Trade Name: ELECTRON

- · Hazard-determining components of labeling:
- Distillates (petroleum), hydrotreated light
- · Hazard statements:
- H227 Combustible liquid.
- H315 Causes skin irritation.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- Precautionary statements:
- P210 Keep away from flames and hot surfaces. No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P264 Wash thoroughly after handling.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves/protective clothing/eye protection/face protection.
- P301+P310 If swallowed: Immediately call a poison center/doctor.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P331 Do NOT induce vomiting.
- P302+P352 If on skin: Wash with plenty of water.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a poison center/doctor if you feel unwell.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· National regulations:

None of the ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other Information

The information and recommendations in this safety data sheet are, to the best of our knowledge, accurate as of the date of issue. Nothing herein shall be deemed to create warranty, expressed or implied, and shall not establish a legally valid contractual relationship. It is the responsibility of the user to determine applicability of this information and the suitability of the material or product for any particular purpose.

• Date of preparation / last revision: 06/18/2018 / 1

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety and Health

OSHA: Occupational Safety & Health Administration



Safety Data Sheet (SDS) OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 06/18/2018

Reviewed on 06/18/2018

Trade Name: ELECTRON

TLV: Threshold Limit Value PEL: Permissible Exposure Limit PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 3: Flammable liquids – Category 3 Flam. Liq. 4: Flammable liquids – Category 4 Skin Irrit. 2: Skin corrosion/irritation – Category 2 STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 Asp. Tox. 1: Aspiration hazard – Category 1 Aquatic Chronic 2: Hazardours to the equatic environment long term aqua Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard - Category 2