

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

1 Identification

- · Product identifier
- · Trade name: AERO KLEEN
- · Relevant identified uses of the substance or mixture and uses advised against

Aviation Solvent Cleaner & Degreaser

· Product description

AERO KLEEN is intended for use as a polysulfide sealant remover, for cleaning of aviation hydraulic fluid, as a wheel and brake cleaner and as a general surface cleaner.

Product Name	Part No.	Packaging	National Stock No.
AeroKleen	1161-55	55 Gal Drum	6850-01-442-0755
AeroKleen	1161-5	5 Gal Pail	6850-01-442-0769
AeroKleen	1161-1	4 x 1 Gal Case	
AeroKleen	1161-16	16 x 1 Ot Case	6850-01-442-0527

- · Application of the substance | the mixture Aviation Solvent Cleaner & Degreaser
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Ecolink

2177A Flintstone Drive

Tucker, GA 30084

www.ecolink.com

800-886-8240 or 770-621-8240 (8-5 EST)

· Emergency telephone number:

Inside the U.S.: 800-535-5053 (INFOTRAC, 24 HOURS) Outside the U.S.: 352-323-3500 (INFOTRAC, 24 HOURS)

2 Hazard(s) identification

· Classification of the substance or mixture



GHS07

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335 May cause respiratory irritation.

Eye Irrit. 28 H320 Causes eye irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



(Contd. on page 2)

email: info@ecolink.com



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

- · Signal word Warning
- · Hazard-determining components of labeling:

Dimethyl Glutarate

· Hazard statements

Causes skin and eye irritation.

May cause respiratory irritation.

· Precautionary statements

Avoid breathing fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· Unknown acute toxicity:

75 percent of the mixture consists of ingredient(s) of unknown toxicity.

- · Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme
- · NFPA ratings (scale 0 4)



Health = 1Fire = 1 Reactivity = 0

· HMIS-ratings (scale 0 - 4)



 \Box Health = 1 1 Fire = 1

· Hazard(s) not otherwise classified (HNOC): None known

3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- · **Description**: Mixture of substances listed below with nonhazardous additions.
- · Dangerous Components:

1119-40-0 Dimethyl Glutarate

40-60%

Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 28, H320

(Contd. on page 3)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

106-65-0 Dimethyl Succinate

15-35%

Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 28, H320

4 First-aid measures

- · Description of first aid measures
- · After inhalation:

Supply fresh air. If required, provide artificial respiration. Consult doctor if symptoms persist. In case of unconsciousness, place patient securely on side position for transportation.

· After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation occurs, consult a doctor.

· After eye contact:

Rinse opened eye for at least 15 minutes under running water. If symptoms persist, consult a doctor.

· After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting.

If vomiting does occur, repeat fluid administration

If symptoms develop and 1 or persist, seek medical attention.

- Information for doctor:
- · Most important symptoms and effects, both acute and delayed:

No further relevant information available.

· Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

- Extinguishing media
- Suitable extinguishing agents:

Use fire fighting measures that suit the environment.

Alcohol foam, water (flood with water), carbon dioxide.

Special hazards arising from the substance or mixture

If incinerated product will release the following toxic fumes: Carbon Oxides.

- · Advice for firefighters Use water spray to cool unopened containers.
- · Protective equipment:

As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent), and full protective gear to prevent contact with skin and eyes.

6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Ensure adequate ventilation

Keep people at a distance and stay upwind.

Avoid contact with skin, eyes and clothing.

Keep away from ignition sources

· Environmental precautions: Do not allow to enter sewers/surface or ground water.

(Contd. on page 4)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

· Methods and material for containment and cleaning up:

Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Dispose of the collected material according to regulations.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

· Handling:

· Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Avoid contact with skin, eyes and clothing

Keep away from sources of ignition.

Keep receptacles tightly sealed.

· Information about protection against explosions and fires: Protect from heat.

· Conditions for safe storage, including any incompatibilities

Store away from acids, bases, strong oxidizing agents and strong reducing agents.

· Storage:

· Requirements to be met by storerooms and receptacles:

Store in a well ventilated place.

Store in a cool, dry place away from sparks and flame.

Do not store in direct sunlight.

- · Information about storage in one common storage facility: Not required.
- · Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from heat and direct sunlight.

· Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

· Additional information about design of technical systems: No further data; see section 7.

· Control parameters

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

Components with occupational exposure limits:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

· Additional information: The lists that were valid during the creation of this SDS were used as basis.

(Contd. on page 5)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

· Breathing equipment:

Not necessary if room is well-ventilated.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

· Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

· Penetration time of glove material

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

· Eye protection:



Tightly sealed goggles

· Body protection:



Protective work clothing

9 Physical and chemical properties

- · Information on basic physical and chemical properties
- · General Information
- · Appearance:

Form: Liquid
Color: Colorless

(Contd. on page 6)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

· Odor: Sweet

· Odor threshold: Not determined. · pH-value: Not determined.

· Change in condition

Melting point/Melting range: Not determined.

Boiling point/Boiling range: 385-437 °F (196-225 °C)

· Flash point: 102 °C (216 °F)

Flammability (solid, gaseous): Not applicable.
 Ignition temperature: 370 °C (698 °F)
 Decomposition temperature: Not determined.

· **Auto igniting:** Product is not self-igniting.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

 Lower:
 0.9 Vol %

 Upper:
 8.0 Vol %

 • Vapor pressure @ 20 °C (68 °F):
 0.2 mm Hg

• **Density @ 20 °C (68 °F):** 1.092 g/cm3 (9.11 lbs/gal)

• Relative density Not determined. • Vapor density @ 20 °C (68 °F) >1 (air=1)

· Evaporation rate Not determined.

· Solubility in / Miscibility with

Water @ 20 °C (68 °F): 5.5 %

· Partition coefficient (n-octanol/water): Not determined.

· Viscosity:

Dynamic: Not determined. **Kinematic:** Not determined.

· Solvent content:

Organic solvents: 100 %

· Other information No further relevant information available.

10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability Stable under normal conditions.
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- · Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid

Elevated temperatures; decomposes with heat. Sources of ignition such as sparks, hot spots, welding, flames.

Incompatible materials: Acids, bases, strong oxidizing agents and strong reducing agents.

(Contd. on page 7)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

· Hazardous decomposition products: Carbon Oxides.

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · LD/LC50 values that are relevant for classification:

106-65-0 Dimethyl Succinate Oral

LD50 >5,000 mg/kg (rat) Dermal

LD50 >5,000 mg/kg (rabbit)

- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye:

Irritating effect.

Causes serious eye irritation.

· Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

Irritant

- · Carcinogenic categories
- · IARC (International Agency for Research on Cancer)

Group 1 - Carcinogenic to humans

Group 2A - Probably carcinogenic to humans

Group 28 - Possibly carcinogenic to humans

Group 3 - Not classifiable as to its carcinogenicity to humans

Group 4 - Probably not carcinogenic to humans

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

- · **Toxicity** The hazards for the aquatic environment are unknown.
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes: Not known to be hazardous to water.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.

(Contd. on page 8)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

· Other adverse effects No further relevant information available.

13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

AERO KLEEN liquid is to be disposed of by incineration or recycle in accordance with local, state and federal regulations. Please call us if you need additional disposal information.

Under RCRA, (40 CFR 261) it its purchased form, this material is not considered a hazardous waste.

- · Uncleaned packagings:
- Recommendation:

Dispose of as unused product.

Disposal must be made according to official regulations.

14 Transport information

· UN-Number

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· UN proper shipping name

· DOT, ADR, ADN, IMDG, IATA Non-Regulated Material

· Transport hazard class(es)

· DOT, ADR, ADN, IMDG, IATA

· Class Non-Regulated Material

· Packing group

· DOT, ADR, IMDG, IATA Non-Regulated Material

Environmental hazards: Not applicable.
 Special precautions for user Not applicable.

· Transport in bulk according to Annex II of

MARPOL73178 and the IBC Code Not applicable.

· UN "Model Regulation":

15 Regulatory information

- · Safety, health and environmental regulations/legislation specific for the substance or mixture
- · Sara
- · Section 355 (extremely hazardous substances):

None of the ingredients are listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

(Contd. on page 9)



OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

· TSCA (Toxic Substances Control Act):

All ingredients are listed.

- · California Proposition 65
- · Chemicals known to cause cancer:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

- · Carcinogenic categories
- · EPA (Environmental Protection Agency)

None of the ingredients are listed.

· TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms



- · Signal word Warning
- · Hazard-determining components of labeling:

Dimethyl Glutarate

· Hazard statements

Causes skin and eye irritation.

May cause respiratory irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray.

Use only outdoors or in a well-ventilated area.

Wear protective gloves.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

(Contd. on page 10)





OSHA HazCom Standard 29 CFR 1910.1200(a) and GHS Rev 03.

Reviewed on 12/06/2018

Trade name: AERO KLEEN

If on skin: Wash with plenty of water.

Take off contaminated clothing and wash it before reuse.

Store locked up.

Store in a well-ventilated place. Keep container tightly closed.

Dispose of contents1container in accordance with local/regional/national/international regulations.

· National regulations:

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

· State Right to Know

1119-40-0 Dimethyl Glutarate

40-60%

Skin Irrit. 2, H315; STOT SE 3, H335; Eye Irrit. 28, H320

106-65-0 Dimethyl Succinate

15-35%

Skin Irrit. 2, H315; Flam. Liq. 4, H227; Eye Irrit. 28, H320

All ingredients are listed.

· Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

Ecolink, Inc. believes the information contained herein is accurate. However, Ecolink makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained by the use thereof. Ecolink, Inc. assumes no responsibility for injury from the use of the product described herein.

· Date ot preparation 1 last revision 05/06/2015

· Abbreviations and acronyms:

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road

ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 4: Flammable liquids, Hazard Category 4 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Eye Irrit. 28: Serious eye damage/eye irritation, Hazard Category 28

STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

SDS created by MSDS Authoring Services www.msdsauthoring.com (877) 204-9106