

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

### 1 Identification

• **Product Identifier**

• **Trade name: Positron-22**

• **Relevant identified uses of the substance or mixture and uses advised against:**

High Purity Dielectric Solvent

• **Product Description**

POSITRON embodies a series of important improvements over hydrocarbon/terpene blends previously used to replace 1,1,1 trichloroethane and CFC-113. POSITRON dries more rapidly and completely than any other terpene-based solvent available today. Thanks to the use of a patented distillation methodology, this material has very low odor.

Product Name	Part No.	Packaging	National Stock Number
Positron-22	060-55	55 Gal Drum	6850-01-412-0028
Positron-22	060-5	5 Gal Pail	6850-01-412-0026
Positron-22	060-1	4 x 1 Gal Case	6850-01-411-8815
Positron-22	226-1	12 x 22 oz Pump Spray	6850-01-445-3541

• **Application of the substance / the mixture:** Ultra High Purity Dielectric Solvent

• **Details of the Supplier of the Safety Data Sheet:**

• **Manufacturer/Supplier:**

Ecolink  
 2177A Flintstone Drive  
 Tucker, GA 30084  
 www.ecolink.com  
 800-886-8240 or 770-621-8240 (8-5 EST)

email: info@ecolink.com

• **Emergency telephone number:**

Inside the U.S.: 800-535-5053 (INFOTRAC, 24 HOURS)  
 Outside the U.S.: 352-323-3500 (INFOTRAC, 24 HOURS)

### 2 Hazard(s) Identification

• **Classification of the substance or mixture:**



GHS08 Health hazard

Asp. Tox. 1      H304 May be fatal if swallowed and enters airways.



GHS07

Skin Irrit. 2      H315 Causes skin irritation.

Skin Sens. 1      H317 May cause an allergic skin reaction.

STOT SE 3      H336 May cause drowsiness or dizziness.

Flam. Liq. 4      H227 Combustible liquid.

Aquatic Acute 2      H401 Toxic to aquatic life.

• **Label elements:**

• **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

(Contd. on page 2)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

· **Hazard pictograms:**



GHS07 GHS08

· **Signal word: Danger**

· **Hazard-determining components of labeling:**

Distillates (petroleum), hydrotreated light d-limonene

· **Hazard statements:**

- H227 Combustible liquid.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H401 Toxic to aquatic life.

· **Precautionary statements:**

- P210 Keep away from flames and hot surfaces. – No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection / face protection.
- P280 Wear protective gloves.
- P273 Avoid release to the environment.
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.
- P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.
- P312 Call a POISON CENTER/doctor if you feel unwell.
- P363 Wash contaminated clothing before reuse.
- P332+P313 If skin irritation occurs: Get medical advice/attention.
- P333+P313 If skin irritation or rash occurs: Get medical advice/attention.
- P331 Do NOT induce vomiting.
- P370+P378 In case of fire: Use for extinction: CO<sub>2</sub>, powder or water spray.
- P302+P352 IF ON SKIN: Wash with plenty of water.
- P362+P364 Take off contaminated clothing and wash it before reuse.
- P405 Store locked up.
- P403+P233 Store in a well-ventilated place. Keep container tightly closed.
- P403+P235 Store in a well-ventilated place. Keep cool.
- P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

· **Classification system: NFPA/HMIS Definitions: 0-Least, 1-Slight, 2-Moderate, 3-High, 4-Extreme**

· **NFPA ratings (scale 0 - 4)**



Health = 1  
Fire = 2  
Reactivity = 0

(Contd. on page 3)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

· **HMS-ratings (scale 0 - 4)**

HEALTH	1	Health = 1
FIRE	2	Fire = 2
REACTIVITY	0	Reactivity = 0

· **Hazard(s) not otherwise classified (HNOC):** None known

### 3 Composition/Information on Ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of substances listed below with non-hazardous additions.

· **Dangerous Components:**

CAS: 64742-47-8	Distillates (petroleum), hydrotreated light ⚠ Asp. Tox. 1, H304; ⚠ Aquatic Chronic 2, H411; ⚠ Skin Irrit. 2, H315; STOT SE 3, H336; Flam. Liq. 4, H227	80-90%
CAS: 5989-27-5 RTECS: GW 6360000	d-limonene ⚠ Aquatic Acute 1, H400; Aquatic Chronic 1, H410; ⚠ Skin Irrit. 2, H315; Skin Sens. 1, H317; Flam. Liq. 4, H227	10-20%

### 4 First-Aid Measures

· **Description of first aid measures:**

· **After inhalation:**

*In case of symptoms arising from inhalation of fumes, mists or vapour: Remove casualty to a quiet and well ventilated place if safe to do so. If the casualty is unconscious and not breathing, ensure that there is no obstruction to air passage ways and give artificial respiration by trained personnel. If necessary, give external cardiac massage and obtain immediate medical assistance. If the casualty is breathing, place in a recovery position and administer oxygen by trained personnel if necessary. Seek medical attention if breathing remains difficult.*

*In case of unconsciousness place patient stably in side position for transportation.*

· **After skin contact:**

*Immediately wash with water and soap and rinse thoroughly.*

*If skin irritation occurs, consult a doctor.*

· **After eye contact:**

*Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.*

· **After swallowing:**

*Rinse out mouth and then drink plenty of water.*

*Do not induce vomiting.*

*If vomiting does occur, repeat fluid administration*

*If vomiting occurs, the head should be kept low so that the vomit does not enter the lungs (aspiration).*

*Once the vomiting ceases, place the person in the recovery position with the legs slightly raised.*

*If symptoms develop and/or persist, seek medical attention.*

· **Information for doctor:**

· **Most important symptoms and effects, both acute and delayed:**

*No further relevant information available.*

(Contd. on page 4)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

- **Indication of any immediate medical attention and special treatment needed:**  
No further relevant information available.

### 5 Fire-Fighting Measures

- **Extinguishing media:**
- **Suitable extinguishing agents:** Regular foam, water fog, carbon dioxide or dry chemical. Class B.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **Special hazards arising from the substance or mixture:**  
Combustible liquid. Vapors can travel to a source of ignition and flash back.  
Explosive mixtures may occur at temperatures at or above flashpoint.  
If incinerated product will release the following toxic fumes: Carbon Oxides, Nitrogen Oxides (NO<sub>x</sub>), unburnt hydrocarbon particulate and Sulfur Oxides.
- **Advice for firefighters:** Use water spray to cool unopened containers.
- **Protective equipment:**  
As in any fire, wear self-contained breathing apparatus pressure-demand (NIOSH approved or equivalent) and full protective gear to prevent contact with skin and eyes.

### 6 Accidental Release Measures

- **Personal precautions, protective equipment and emergency procedures:**  
Wear protective equipment. Keep unprotected persons away.  
Ensure adequate ventilation.  
Keep people at a distance and stay upwind.  
Avoid contact with skin, eyes and clothing.  
Keep away from ignition sources
- **Environmental precautions:** Do not allow to enter sewers/surface or ground water.
- **Methods and material for containment and cleaning up:**  
Absorb with liquid-binding material (ie. sand, diatomite, universal binders), do NOT use sawdust.  
Dispose contaminated material as waste according to section 13.  
Ensure adequate ventilation.  
Dispose of the collected material according to regulations.
- **Reference to other sections:**  
See Section 7 for information on safe handling.  
See Section 8 for information on personal protection equipment.  
See Section 13 for disposal information.

### 7 Handling and Storage

- **Handling**
- **Precautions for safe handling:**  
Avoid contact with skin, eyes and clothing  
Keep away from sources of ignition.  
Ensure good ventilation/exhaustion at the workplace.  
Prevent formation of aerosols.  
Keep receptacles tightly sealed.
- **Information about protection against explosions and fires:**  
Do not spray on a naked flame or any incandescent material.

(Contd. on page 5)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

Protect from heat.

· **Conditions for safe storage, including any incompatibilities:**

Store away from strong acids, strong bases, strong oxidizing agents and strong reducing agents.

· **Storage**

· **Requirements to be met by storerooms and receptacles:**

Store in a well ventilated place.

Store in a cool, dry place away from sparks and flame.

Do not store in direct sunlight.

· **Information about storage in one common storage facility:** Not required.

· **Further information about storage conditions:** Protect from heat and direct sunlight.

· **Specific end use(s):** No further relevant information available.

### 8 Exposure Controls/Personal Protection

· **Additional information about design of technical systems:** No further data; see section 7.

· **Control parameters:**

All ventilation should be designed in accordance with OSHA standard (29 CFR 1910.94). Use mechanical (general) ventilation for storage areas. Use appropriate ventilation as required to keep Exposure Limits in Air below TLV & PEL limits.

· **Components with occupational exposure limits:**

**64742-47-8 Distillates (petroleum), hydrotreated light**

OSHA PEL	Long-term value: 5 mg/m <sup>3</sup>
----------	--------------------------------------

**5989-27-5 d-limonene**

TWA	Short-term value: 10 mg/m <sup>3</sup>
-----	--

· **Additional information:** The lists that were valid during the creation of this SDS were used as basis.

· **Exposure controls:**

· **Personal protective equipment:**

· **General protective and hygienic measures:**

The usual precautionary measures for handling chemicals should be followed.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing and wash before reuse.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· **Breathing equipment:**



Suitable respiratory protective device recommended.

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure, use respiratory protective device that is independent of circulating air.

· **Protection of hands:**



Protective gloves

(Contd. on page 6)

US

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation. Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Select glove material based on penetration times, rates of diffusion and degradation.

• **Material of gloves:**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material cannot be calculated in advance and has therefore to be checked prior to the application.

• **Penetration time of glove material:**

The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.

• **Eye protection:**



Goggles recommended during refilling.

• **Body protection:**



Protective work clothing

### 9 Physical and Chemical Properties

• **Information on basic physical and chemical properties**

• **General Information**

• **Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Colorless
• <b>Odor:</b>	Mild, Terpene
• <b>Odor threshold:</b>	Not determined.

• **pH-value:** Acidic

• **Change in condition**

<b>Melting point/Melting range:</b>	Not determined.
<b>Boiling point/Boiling range:</b>	176 °C (349 °F)

• **Flash point:** 61 °C (142 °F)

• **Flammability (solid, gaseous):** Not applicable.

• **Ignition temperature:**

**Decomposition temperature:** Not determined.

• **Auto igniting:** Product is not self-igniting.

• **Danger of explosion:** Not determined.

(Contd. on page 7)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

- |  |                                   |
|--|-----------------------------------|
| · <b>Explosion limits:</b>   |                                   |
| Lower:   | 0.7 Vol %                         |
| Upper:   | 7.0 Vol %                         |
| · <b>Vapor pressure @ 20 °C (68 °F):</b> 0.52 mm Hg                                    |                                   |
| · <b>Density @ 20 °C (68 °F):</b> 0.807 g/cm <sup>3</sup> (6.734 lbs/gal)              |                                   |
| · <b>Relative density:</b> Not determined.   |                                   |
| · <b>Vapor density @ 20 °C (68 °F):</b> 5.0 g/cm <sup>3</sup> (41.725 lbs/gal) (air=1) |                                   |
| · <b>Evaporation rate @ 20 °C (68 °F):</b> <1.0 (nBuAc=1)                              |                                   |
| · <b>Solubility in / Miscibility with:</b>   |                                   |
| Water:   | Not miscible or difficult to mix. |
| · <b>Partition coefficient (n-octanol/water):</b> Not determined.                      |                                   |
| · <b>Viscosity:</b>  |                                   |
| Dynamic:   | Not determined.                   |
| Kinematic:   | Not determined.                   |
| · <b>Solvent content:</b>  |                                   |
| VOC content:   | 807 g/l                           |
| · <b>Other information:</b> No further relevant information available.                 |                                   |

### 10 Stability and Reactivity

- **Reactivity:** No further relevant information available.
- **Chemical stability:** Stable under normal conditions.
- **Thermal decomposition / conditions to be avoided:**  
No decomposition if used according to specifications.
- **Possibility of hazardous reactions:** No dangerous reactions known.
- **Conditions to avoid:**  
Elevated temperatures; decomposes with heat. Sources of ignition such as sparks, hot spots, welding, flames.
- **Incompatible materials:**  
Strong acids, strong bases, strong oxidizing agents and strong reducing agents.
- **Hazardous decomposition products:** Carbon Oxides, Nitrogen Oxides (NOx) and Sulfur Oxides.

### 11 Toxicological Information

- **Information on toxicological effects:**
- **Acute toxicity:**
- **LD/LC50 values that are relevant for classification:**  
**64742-47-8 Distillates (petroleum), hydrotreated light**

Oral	LD50	>5000 mg/kg (rat)
Dermal	LD50	>2000 mg/kg (rabbit)

(Contd. on page 8)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

### 5989-27-5 d-limonene

Oral	LD50	4400 mg/kg (rat) Remarks: Behavioral: Change in motor activity (specific assay). Respiratory disorder Skin and Appendages: Other: Hair
Dermal	LD50	>5000 mg/kg (rabbit)
Inhalative	LC50/96 hours	0.72 mg/l (Pimephales) (OECD Test Guideline 203)

- **Primary irritant effect:**
- **On the skin:**  
Irritant to skin and mucous membranes.  
May cause an allergic skin reaction.
- **On the eye:** No irritating effect.
- **Sensitization:** Sensitization possible through skin contact.
- **Additional toxicological information:**  
The product shows the following dangers according to internally approved calculation methods for preparations:  
Irritant
- **Carcinogenic categories:**
- **IARC (International Agency for Research on Cancer):**  
Group 1 - Carcinogenic to humans  
Group 2A - Probably carcinogenic to humans  
Group 2B - Possibly carcinogenic to humans  
Group 3 - Not classifiable as to its carcinogenicity to humans  
Group 4 - Probably not carcinogenic to humans

5989-27-5	d-limonene	3
-----------	------------	---

- **NTP (National Toxicology Program):**  
None of the ingredients are listed.
- **OSHA-Ca (Occupational Safety & Health Administration):**  
None of the ingredients are listed.

## 12 Ecological Information

- **Toxicity:**
- **Aquatic toxicity:**  
**5989-27-5 d-limonene**  
EC50 0.36 mg/l (daphnia) (OECD Test Guideline 202)
- **Persistence and degradability:** No further relevant information available.
- **Behavior in environmental systems:**
- **Bioaccumulative potential:** No further relevant information available.
- **Mobility in soil:** No further relevant information available.
- **Additional ecological information:**
- **General notes:**  
Do not allow product to reach ground water, water course or sewage system.  
Danger to drinking water if even small quantities leak into the ground.
- **Results of PBT and vPvB assessment:**
- **PBT:** Not applicable.

(Contd. on page 9)



## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

- **vPvB:** Not applicable.
- **Other adverse effects:** No further relevant information available.

### 13 Disposal Considerations

· **Waste treatment methods:**

· **Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Straight from the container, POSITRON-22 is not considered a hazardous waste product. Once it is contaminated with whatever you are cleaning, the resulting mixture may fall under a hazardous classification, depending on whether or not the material you are cleaning is hazardous. If you aren't sure how to dispose of used POSITRON-22, give us a call and we will help you make the right decisions.

· **Uncleaned packagings**

· **Recommendation:**

Disposal must be made according to official regulations.

Dispose of as unused product.

### 14 Transport Information

· **UN-Number:**

· **DOT, ADN**

· **ADR, IMDG, IATA**

Non-Regulated Material

UN3082

· **UN proper shipping name:**

· **DOT, ADN**

· **ADR**

· **IMDG**

· **IATA**

Non-Regulated Material

UN3082 Environmentally hazardous substances, liquid, n.o.s.

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Distillates (petroleum), hydrotreated light, DIPENTENE), MARINE POLLUTANT ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

· **Transport hazard class(es):**

· **DOT, ADN**

· **Class:**

Non-Regulated Material

· **ADR**

· **Class:**

· **Label:**

9 (M6) Miscellaneous dangerous substances and articles

9

· **IMDG, IATA**

· **Class:**

· **Label:**

9 Miscellaneous dangerous substances and articles

9

· **Packing group:**

· **DOT**

Non-Regulated Material

(Contd. on page 10)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

· <b>ADR, IMDG, IATA</b>	III
· <b>Environmental hazards:</b>	Not applicable.
· <b>Special precautions for user:</b>	Warning: Miscellaneous dangerous substances and articles
· <b>Danger code (Kemler):</b>	30
· <b>EMS Number:</b>	F-A,S-F
· <b>Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code:</b>	Not applicable.
· <b>Transport/Additional information:</b>	
· <b>ADR</b>	
· <b>Excepted quantities (EQ):</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>IMDG</b>	
· <b>Limited quantities (LQ):</b>	5L
· <b>Excepted quantities (EQ):</b>	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· <b>UN "Model Regulation":</b>	UN3082, Environmentally hazardous substances, liquid, n.o.s., 9, III

### 15 Regulatory Information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture:**
- **SARA (Superfund Amendments and Reauthorization):**

- **Section 355 (extremely hazardous substances):**

None of the ingredients are listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients are listed.

- **TSCA (Toxic Substances Control Act):**

All ingredients are listed or exempt from listing.

- **California Proposition 65:**

- **Chemicals known to cause cancer:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients are listed.

(Contd. on page 11)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

· **New Jersey Right-to-Know List:**

None of the ingredients are listed.

· **New Jersey Special Hazardous Substance List:**

None of the ingredients are listed.

· **Pennsylvania Right-to-Know List:**

None of the ingredients are listed.

· **Pennsylvania Special Hazardous Substance List:**

None of the ingredients are listed.

· **Carcinogenic categories:**

· **EPA (Environmental Protection Agency):**

None of the ingredients are listed.

· **TLV (Threshold Limit Value established by ACGIH):**

None of the ingredients are listed.

· **NIOSH-Ca (National Institute for Occupational Safety and Health):**

None of the ingredients are listed.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms:**



GHS07 GHS08

· **Signal word: Danger**

· **Hazard-determining components of labeling:**

Distillates (petroleum), hydrotreated light d-limonene

· **Hazard statements:**

- H227 Combustible liquid.
- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H336 May cause drowsiness or dizziness.
- H304 May be fatal if swallowed and enters airways.
- H401 Toxic to aquatic life.

· **Precautionary statements:**

- P210 Keep away from flames and hot surfaces. – No smoking.
- P261 Avoid breathing dust/fume/gas/mist/vapors/spray.
- P271 Use only outdoors or in a well-ventilated area.
- P280 Wear protective gloves / eye protection / face protection.
- P280 Wear protective gloves.
- P273 Avoid release to the environment.
- P264 Wash thoroughly after handling.
- P272 Contaminated work clothing must not be allowed out of the workplace.
- P321 Specific treatment (see supplementary first aid instructions on this Safety Data Sheet).
- P301+P310 IF SWALLOWED: Immediately call a POISON CENTER/ doctor.

(Contd. on page 12)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
 P312 Call a POISON CENTER/doctor if you feel unwell.  
 P363 Wash contaminated clothing before reuse.  
 P332+P313 If skin irritation occurs: Get medical advice/attention.  
 P333+P313 If skin irritation or rash occurs: Get medical advice/attention.  
 P331 Do NOT induce vomiting.  
 P370+P378 In case of fire: Use for extinction: CO2, powder or water spray.  
 P302+P352 IF ON SKIN: Wash with plenty of water.  
 P362+P364 Take off contaminated clothing and wash it before reuse.  
 P405 Store locked up.  
 P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
 P403+P235 Store in a well-ventilated place. Keep cool.  
 P501 Dispose of contents/container in accordance with local/regional/national/international regulations.

• **National regulations:**

The product is subject to be classified according with the latest version of the regulations on hazardous substances.

• **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

### 16 Other Information

Ecolink, Inc. believes the information contained herein is accurate. However, Ecolink makes no warranty, expressed or implied, regarding the accuracy of this data or the results to be obtained by the use thereof. Ecolink, Inc. assumes no responsibility for injury from the use of the product described herein.

• **Date of preparation / last revision:** 04/06/2016 / -

• **Abbreviations and acronyms:**

ADR: The European Agreement concerning the International Carriage of Dangerous Goods by Road  
 ADN: The European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways  
 IMDG: International Maritime Code for Dangerous Goods  
 DOT: US Department of Transportation  
 IATA: International Air Transport Association  
 ACGIH: American Conference of Governmental Industrial Hygienists  
 EINECS: European Inventory of Existing Commercial Chemical Substances  
 ELINCS: European List of Notified Chemical Substances  
 CAS: Chemical Abstracts Service (division of the American Chemical Society)  
 NFPA: National Fire Protection Association (USA)  
 HMIS: Hazardous Materials Identification System (USA)  
 VOC: Volatile Organic Compounds (USA, EU)  
 LC50: Lethal concentration, 50 percent  
 LD50: Lethal dose, 50 percent  
 PBT: Persistent, Bioaccumulative and Toxic  
 vPvB: very Persistent and very Bioaccumulative  
 NIOSH: National Institute for Occupational Safety  
 OSHA: Occupational Safety & Health  
 TLV: Threshold Limit Value  
 PEL: Permissible Exposure Limit  
 REL: Recommended Exposure Limit  
 BEI: Biological Exposure Limit  
 Flam. Liq. 4: Flammable liquids, Hazard Category 4  
 Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2  
 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1  
 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3  
 Asp. Tox. 1: Aspiration hazard, Hazard Category 1  
 Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1

(Contd. on page 13)

## Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g) and GHS Rev 03.

Issue date 04/06/2016

Reviewed on 04/06/2016

**Trade name: Positron-22**

Aquatic Acute 2: Hazardous to the aquatic environment - AcuteHazard, Category 2  
Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1  
Aquatic Chronic 2: Hazardous to the aquatic environment - Chronic Hazard, Category 2

• **\* Data compared to the previous version altered.**

SDS created by MSDS Authoring Services [www.msdsauthoring.com](http://www.msdsauthoring.com) +1-877-204-9106

US