

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

1 Identification

- **Product identifier**
- **Trade name: FLUOSOLV CA**
- **Product description** Vapor Degreasing Solvent Blend
- **Application of the substance / the mixture**
Azeotropic solvent blend for degreasing fluorinated and hydrocarbon based oils and greases. Well suited for vapor degreasers and aerosol spray applications
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**
NuGeneration Technologies, LLC (dba NuGenTec)
1155 Park Ave, Emeryville, CA 94608
fluosolv@nugentec.com
For Product Info call 1-(800) 409-3142
www.fluosolv.com
www.nugentec.com/fluosolv
- **Emergency telephone number:**
INFOTRAC day or night - 1-800-535-5053
Outside of continental U.S. call collect 1-352-323-3500

2 Hazard(s) identification

- **Classification of the substance or mixture**



Harmful if swallowed.

Harmful to aquatic life with long lasting effects.

- **Label elements**
- **GHS label elements**
The product is classified and labeled according to the Globally Harmonized System (GHS).
- **Hazard pictograms**



GHS07

- **Signal word** Warning
- **Hazard-determining components of labeling:**
1,1,1,3,3-pentafluorobutane
- **Hazard statements**
Harmful if swallowed.
Harmful to aquatic life with long lasting effects.
- **Precautionary statements**
Avoid release to the environment.
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Rinse mouth.

(Contd. on page 2)

USA

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 1)

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- **Classification system:**
- **NFPA ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 1

- **HMIS-ratings (scale 0 - 4)**



Health = 1
Fire = 0
Reactivity = 1

3 Composition/information on ingredients

- **Chemical characterization: Mixtures**
- **Description:** Mixture of the substances listed below with nonhazardous additions.

• **Composition/information on ingredients:**

156-60-5	trans-dichloroethylene ⚠ Flam. Liq. 2, H225; ⚠ Acute Tox. 4, H332; Aquatic Chronic 3, H412	<50%
163702-07-6	Methyl nonafluorobutyl ether Aquatic Chronic 3, H412	<15%
163702-08-7	Methyl nonafluoroisobutyl ether Aquatic Chronic 3, H412	<15%
406-58-6	1,1,1,3,3-pentafluorobutane ⚠ Acute Tox. 4, H302; H227	<15%
138495-42-8	Decafluoro Pentane Aquatic Chronic 3, H412	<15%

4 First-aid measures

- **Description of first aid measures**
- **General information:** Take affected persons out of danger area and lay down.
- **After inhalation:** Supply fresh air or oxygen; call for doctor.
- **After skin contact:** Generally the product does not irritate the skin.
- **After eye contact:** Rinse opened eye for several minutes under running water.
- **After swallowing:** Give large amounts of water. If symptoms persist consult doctor.
- **Most important symptoms and effects, both acute and delayed**
No further relevant information available.
- **Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

USA

(Contd. on page 3)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 2)

5 Fire-fighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- **Special hazards arising from the substance or mixture** No further relevant information available.
- **Advice for firefighters**
- **Protective equipment:** Mouth respiratory protective device.

6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**
Wear protective equipment. Keep unprotected persons away.
- **Environmental precautions:** Do not allow to enter sewers/ surface or ground water.
- **Methods and material for containment and cleaning up:**
Absorb with liquid-binding material (ie. sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to section 13.
- **Reference to other sections**
See Section 7 for information on safe handling.
See Section 8 for information on personal protection equipment.
See Section 13 for disposal information.

7 Handling and storage

- **Precautions for safe handling** Ensure good ventilation/exhaustion at the workplace.
- **Information about protection against explosions and fires:**
Keep ignition sources away - Do not smoke.
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:** No special requirements.
- **Information about storage in one common storage facility:** Not required.
- **Further information about storage conditions:** Keep receptacle tightly sealed.
- **Specific end use(s)** No further relevant information available.

8 Exposure controls/personal protection

- **Additional information about design of technical systems:** No further data; see section 7.

- **Control parameters**

- **Components with occupational exposure limits:**

156-60-5 trans-dichloroethylene

PEL Long-term value: 790 mg/m³, 200 ppm

REL Long-term value: 790 mg/m³, 200 ppm

TLV Long-term value: 793 mg/m³, 200 ppm

- **Additional information:** The lists that were valid during the creation were used as basis.

(Contd. on page 4)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 3)

- **Exposure controls**
- **Personal protective equipment:**
- **General protective and hygienic measures:**
 Keep away from foodstuffs, beverages and feed.
 Wash hands before breaks and at the end of work.
- **Breathing equipment:** Not required.
- **Protection of hands:**
 The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.
 Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.
 Select glove material based on penetration times, rates of diffusion and degradation.
- **Material of gloves**
 The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.
- **Penetration time of glove material**
 The exact break-through time has to be determined and observed by the manufacturer of the protective gloves.
- **Eye protection:** Goggles recommended during refilling.

9 Physical and chemical properties

- **Information on basic physical and chemical properties**
- **General Information**
- **Appearance:**

Form:	Liquid
Color:	Colorless
- **Odor:** Weak, characteristic
- **Odor threshold:** Not determined.
- **pH-value:** Not Applicable
- **Change in condition**

Melting point/Melting range:	Not Applicable
Boiling point/Boiling range:	41 °C (106 °F)
- **Flash point:** None
- **Flammability (solid, gaseous):** Not applicable.
- **Ignition temperature:** 440 °C (824 °F)
- **Decomposition temperature:** Not determined.
- **Auto igniting:** Product is not selfigniting.
- **Danger of explosion:** Product does not present an explosion hazard.
- **Explosion limits:**

Lower:	none
Upper:	none

(Contd. on page 5)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 4)

- | | |
|---|--|
| · Vapor pressure @ 20 °C (68 °F): | 383 mm HG |
| · Density @ 20 °C (68 °F): | 1.37 g/cm ³ (11.433 lbs/gal) |
| · Relative density | Not determined. |
| · Vapour density @ 20 °C (68 °F) | 4.8 (Relative Air=1) |
| · Evaporation rate | Not determined. |
| · Solubility in / Miscibility with Water: | Not miscible or difficult to mix. |
| · Partition coefficient (n-octanol/water): | Not determined. |
| · Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic @ 20 °C (68 °F): | 0.45 cps (DIN 53211/4) |
| · Solvent content: | |
| Organic solvents: | 100 % |
| VOC content: | 685 g/l |
| · Other information | No further relevant information available. |

10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

11 Toxicological information

- **Information on toxicological effects**
- **Acute toxicity:**

- **LD/LC50 values that are relevant for classification:**

156-60-5 trans-dichloroethylene

Oral LD50 770 mg/kg (rat)

- **Primary irritant effect:**
- **on the skin:** No irritant effect.
- **on the eye:** No irritating effect.
- **Additional toxicological information:**

The product shows the following dangers according to internally approved calculation methods for preparations:
Harmful

(Contd. on page 6)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 5)

· **Carcinogenic categories**

· **IARC (International Agency for Research on Cancer)**

None of the ingredients is listed.

· **NTP (National Toxicology Program)**

None of the ingredients is listed.

· **OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

12 Ecological information

· **Toxicity**

- **Aquatic toxicity:** No further relevant information available.
- **Persistence and degradability** No further relevant information available.
- **Bioaccumulative potential** No further relevant information available.
- **Mobility in soil** No further relevant information available.

· **Ecotoxicological effects:**

· **Remark:** Harmful to fish

· **Additional ecological information:**

· **General notes:**

Water hazard class 1 (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Harmful to aquatic organisms

· **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.
- **vPvB:** Not applicable.
- **Other adverse effects** No further relevant information available.

13 Disposal considerations

· **Waste treatment methods**

· **Recommendation:** Contact manufacturer for recycling information.

· **Uncleaned packagings:**

· **Recommendation:** Unclean packaging can be recycled.

14 Transport information

· **UN-Number**

· **DOT, ADR, ADN, IATA**

· **IMDG**

Non-Regulated Material

Non-Regulated Material

· **UN proper shipping name**

· **DOT, ADR, ADN, IMDG, IATA**

Non-Regulated Material

(Contd. on page 7)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 6)

- | | |
|--|------------------------|
| · Transport hazard class(es) | |
| · DOT, ADR, ADN, IMDG, IATA | |
| · Class | Non-Regulated Material |
| · Packing group | |
| · DOT, ADR, IMDG, IATA | Non-Regulated Material |
| · Environmental hazards: | |
| · Marine pollutant: | No |
| · Special precautions for user | Not applicable. |
| · Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| · UN "Model Regulation": | - |

15 Regulatory information

- **Safety, health and environmental regulations/legislation specific for the substance or mixture**
- **Sara**

- **Section 355 (extremely hazardous substances):**

None of the ingredients is listed.

- **Section 313 (Specific toxic chemical listings):**

None of the ingredients is listed.

- **TSCA (Toxic Substances Control Act):**

156-60-5	trans-dichloroethylene
	Methyl nonafluorobutyl ether
	Methyl nonafluoroisobutyl ether

- **Proposition 65**

- **Chemicals known to cause cancer:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

- **Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

- **Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

- **Carcinogenic categories**

- **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

- **TLV (Threshold Limit Value established by ACGIH)**

None of the ingredients is listed.

(Contd. on page 8)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

(Contd. of page 7)

· **NIOSH-Ca (National Institute for Occupational Safety and Health)**

This product is listed as a hazardous material under criteria of the Federal OSHA Hazard Communication Standard, 29 CFR 1910.1200.

· **GHS label elements**

The product is classified and labeled according to the Globally Harmonized System (GHS).

· **Hazard pictograms**



GHS07

· **Signal word** Warning

· **Hazard-determining components of labeling:**

1,1,1,3,3-pentafluorobutane

· **Hazard statements**

Harmful if swallowed.

Harmful to aquatic life with long lasting effects.

· **Precautionary statements**

Avoid release to the environment.

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Rinse mouth.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

· **National regulations:**

The product is subject to be labeled according with the prevailing version of the regulations on hazardous substances.

· **State Right to Know**

All ingredients are listed.

· **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· **Date of preparation / last revision** 07/31/2014 / 6

· **Abbreviations and acronyms:**

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 9)

Safety Data Sheet (SDS)

OSHA HazCom Standard 29 CFR 1910.1200(g), Rev. 2012 and GHS Rev 03.

Printing date 07/31/2014

Reviewed on 07/31/2014

Trade name: FLUOSOLV CA

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Flam. Liq. 2: Flammable liquids, Hazard Category 2

: Flammable liquids, Hazard Category 4

Acute Tox. 4: Acute toxicity, Hazard Category 4

Aquatic Chronic 3: Hazardous to the aquatic environment - Chronic Hazard, Category 3

(Contd. of page 8)

USA